Application No.: 09/911,819 Docket No.: MWS-077RCE2

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) In a computing device, a method comprising:

providing a definition of a function associated with a first language;

creating description information about the function from the definition of a function associated with a first language;

storing the description information in a storage device, where the description information allows the call to the function in the first language to be associated with a call to a corresponding function in a second language;

identifying a call to the function in the first language;

retrieving the stored description information for the function from the storage device; and

translating ~~a~~ the call to the function in the first language into the~~a~~ call to the~~a~~ corresponding function in the~~a~~ second language using the description information, ~~without~~ wherein translating uses the description information instead of ~~processing~~ the definition of the function.

2. (Original) The method of claim 1, further comprising: storing the description information in a file of description items.

3. (Previously Presented) The method of claim 1, wherein creating description information about the function comprises: examining the definition of the function associated with the first language; and deriving information about the function.

4. (Cancelled)

5. (Previously Presented) The method of claim 1, further comprising: storing a translated function in the second language in a library of entries.

6. (Previously Presented) The method of claim 1, in which creating description information about the function comprises: deriving a number of declared formal inputs to the function.

7. (Previously Presented) The method of claim 1, in which creating description information about the function comprises: deriving a number of declared formal outputs to the function.

8. (Previously Presented) The method of claim 1, in which creating description information about the function comprises: deriving a scope of the function.

9. (Previously Presented) The method of claim 1, in which creating description information about the function comprises: determining whether the function accepts a variable number of arguments.

10. (Previously Presented) The method of claim 1, in creating description information about the function comprises: determining whether the function returns a variable number of results.

11. (Currently Amended) In a computing device, a method comprising:

providing a file of description items, ~~each~~ where one or more items include ~~item including~~ description information about one or more ~~a~~ functions associated with a first language,

identifying a call to a function in the first language;

retrieving an item from the file of description items;

using ~~wherein~~ the description information for the function to ~~enables translation~~ translate ~~of~~ a call to the function in ~~a~~the first language into a call to a corresponding function in a second language, wherein translating uses the description information instead of ~~without requiring processing of~~ the definition of the function; and

using the file of description items to translate a first program file into a second program file.

12. (Original) The method of claim 11, wherein the description information about the function comprises: a descriptor identifying a declared number of formal inputs to the function.

13. (Original) The method of claim 11, wherein the description information about the function comprises: a descriptor identifying a declared number of formal outputs to the function.

14. (Original) The method of claim 11, wherein the description information about the function

comprises: a descriptor identifying a scope of the function.

15. (Original) The method of claim 11, wherein the description information about the function comprises: a descriptor identifying an acceptance of a variable input argument list into the function.

16. (Original) The method of claim 11, wherein the description information about the function comprises: a descriptor identifying a return of a variable output argument list from the function.

17. (Currently Amended) The method of claim 11, further comprising: ~~wherein using the file of description items comprises: for each call to a function in the first program file, retrieving an item from the file of description items; using the description information in the item to translate the call to the function in the first language into a call to a corresponding function in the second language; and~~

storing the translated call in the second program file.

18. (Original) The method of claim 11, wherein using the file of description items comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying an acceptance of a variable input argument list into the function.

19. (Original) The method of claim 11, wherein using the file of description items comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying a return of a variable output argument list from the function.

20. (Original) The method of claim 11, wherein using the file of description items comprises: generating a call through a normal interface for the function if the description information includes a descriptor identifying a known number of input and output arguments to the function.

21. (Currently Amended) In a computing device, a method comprising:

providing a library file including functions defined by a first language;

creating a function library and a description file from the library file, the function library including one or more functions defined by a second language, each function in the function library being a translated version of a function in the library file, and the description file including description information about each function in the library file, wherein the description information enables translation of a call to the function in the first language into a call to a corresponding function in the second language, wherein translating uses the description information instead of ~~without requiring processing of~~ the definition of the function;

identifying a call to the function in the first language;

retrieving the description file; and

using the description file to translate a program file from the first language into the second language, wherein each call in the program file to a function in the library file is translated into a call to a corresponding function in the second language.

22. (Previously Presented) The method of claim 21, wherein creating a function library comprises: translating the call to each function in the library file into a call to a corresponding function in the second language.

23. (Currently Amended) The method of claim 21, wherein creating a ~~creating~~ description file comprises:

examining the definition of each function in the library file; and

deriving information about each function.

24. (Previously Presented) The method of claim 23, further comprising: using the derived information about each function to create description information; and creating a description file including description information about each function in the library file.

25. (Original) The method of claim 21, wherein using the description file comprises: for each call in the program file to a function in the library file, retrieving the description information about the function from the description file; and using the description information to translate the call to the function in the first language into a call to a corresponding function in the second language.

26. (Original) The method of claim 21, wherein using the description file comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying an acceptance of a variable input argument list into the function.

27. (Original) The method of claim 21, wherein using the description file comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying a return of a variable output argument list from the function.

28. (Original) The method of claim 21, wherein using the description file comprises: generating a call through a normal interface for the function if the description information includes a descriptor identifying a known number of input and output arguments to the function.

29. (Currently Amended) A computer program product, tangibly stored on a computer-readable medium, for creating a data file, the product comprising instructions operable to cause a programmable processor to:

obtain a definition of a function associated with a first language;

create description information about the function from the definition of the function associated with a first language;

store the description information in a storage device, where the description information allows the call to the function in the first language to be associated with a call to a corresponding function in a second language;

identify a call to the function in the first language;

retrieve the stored description information for the function from the storage device; and

translate ~~a~~ the call to the function in the first language into a call to ~~a~~the corresponding function in a second language using the description information, wherein translating uses the description information instead of ~~without processing~~ the definition of the function.

30. (Original) The product of claim 29, further comprising instructions operable to cause a programmable processor to: store the description information in a file of description items.

31. (Previously Presented) The product of claim 29, wherein creating description information

comprises: examining the definition of the function associated with the first language; and deriving information about the function.

32. (Original) The product of claim 31, further comprising instructions operable to cause a programmable processor to: use the derived information to create the description information.

33. (Cancelled)

34. (Previously Presented) The product of claim 29, in which creating description information comprises: deriving a number of declared formal inputs to the function.

35. (Previously Presented) The product of claim 29, in which creating description information comprises: deriving a number of declared formal outputs to the function.

36. (Previously Presented) The product of claim 29, in which creating description information comprises: deriving a scope of the function.

37. (Previously Presented) The product of claim 29, in which creating description information comprises: determining whether the function accepts a variable number of arguments.

38. (Previously Presented) The product of claim 29, in which creating description information comprises: determining whether the function returns a variable number of results.

39. (Currently Amended) A product, stored on a machine-readable medium, for translating a program file, the product comprising instructions operable to cause a processor to:

provide a file of description items, where one or more ~~each~~ items include ~~including~~ description information about one or more ~~a~~ functions associated with a first language,

identify a call to the function in the first language;

retrieve an item from the file of description items;

use the description information for the function ~~enabling~~ to translate ~~translation of a~~the call to the function into a call to a corresponding function in a second language, wherein

translating uses the description information instead of ~~without requiring processing of~~ the definition of the function; and

use the file of description items to translate a first program file into a second program file.

40. (Original) The product of claim 39, wherein the description information about the function comprises: a descriptor identifying a declared number of formal inputs to the function.

41. (Original) The product of claim 39, wherein the description information about the function comprises: a descriptor identifying a declared number of formal outputs to the function.

42. (Original) The product of claim 39, wherein the description information about the function comprises: a descriptor identifying a scope of the function.

43. (Original) The product of claim 39, wherein the description information about the function comprises: a descriptor identifying an acceptance of a variable input argument list into the function.

44. (Original) The product of claim 39, wherein the description information about the function comprises: a descriptor identifying a return of a variable output argument list from the function.

45. (Currently Amended) The product of claim 39, further comprising instructions operable to cause a programmable processor to: ~~wherein using the file of description items comprises: for each call to a function in the first program file, retrieving an item from the file of description items; using the description information in the item to translate the call to the function in the first language into a call to a corresponding function in the second language; and~~

store~~storing~~ the translated call in the second program file.

46. (Original) The product of claim 39, wherein using the file of description items comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying an acceptance of a variable input argument list into the function.

47. (Original) The product of claim 39, wherein using the file of description items comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying a return of a variable output argument list from the function.

48. (Original) The product of claim 39, wherein using the file of description items comprises: generating a call through a normal interface for the function if the description information includes a descriptor identifying a known number of input and output arguments to the function.

49. (Currently Amended) A computer program product, tangibly stored on a computer-readable medium, for translating function calls, the product comprising instructions operable to cause a programmable processor to:

provide a library file including functions defined by a first language;

create a function library and a description file from the library file, the function library including one or more functions defined by a second language, each function in the function library being a translated version of a function in the library file, and the description file including description information about each function in the library file, wherein the description information enables translation of a call to the function in the first language into a call to a corresponding function in the second language, wherein the translation uses the description information instead of ~~without requiring processing of~~ the definition of the function;

identify a call to the function in the first language;

retrieve the description file; and

use the description file to translate a program file from the first language into the second language, wherein each call in the program file to a function in the library file is translated into a call to a corresponding function in the second language.

50. (Previously Presented) The product of claim 49, wherein creating a function library comprises: translating the call to each function in the library file into a call to a corresponding function in the second language.

51. (Original) The product of claim 49, wherein creating a description file comprises: examining

the definition of each function in the library file; and deriving information about each function.

52. (Original) The product of claim 51, further comprising: using the derived information about each function to create the description information; and creating a description file including description information about each function in the library file.

53. (Original) The product of claim 49, wherein using the description file comprises: for each call in the program file to a function in the library file, retrieving the description information about the function from the description file; and using the description information to translate the call to the function in the first language into a call to a corresponding function in the second language.

54. (Original) The product of claim 49, wherein using the description file comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying an acceptance of a variable input argument list into the function.

55. (Original) The product of claim 49, wherein using the description file comprises: generating a call through a function evaluation interface for the function if the description information includes a descriptor identifying a return of a variable output argument list from the function.

56. (Original) The product of claim 49, wherein using the description file comprises: generating a call through a normal interface for the function if the description information includes a descriptor identifying a known number of input and output arguments to the function.